


LO Collection O




LOCO

LED TRACK LIGHT



LOCO


LED TRACK LIGHT





Model: TL- 90.12555
 Wattage: 20W
 Beam Angle: 46° /68°
 CCT: 3000K/4000K/5000K
 InputVoltage: 220-240V
 CRI: 90/95/97



Model: TL-90.12555.46
 CCT:3000K
 CRI:90



Model: TL-90.12555.68
 CCT:3000K
 CRI:90




LOCO

LED WALL LIGHT



LOCO


LED WALL LIGHT



Model: TL- 90.12557
 Wattage: 2*15W
 Beam Angle: 46° /68°
 CCT: 3000K/4000K/5000K
 InputVoltage: 220-240V
 CRI: 90/95/97




Model: TL-90.12557.46
 CCT:3000K
 CRI:90



h(m)	E(lx)	D(m)
1.0	2815	0.86
2.0	703	1.73
3.0	312	2.59
4.0	175	3.46
5.0	112	4.32



Model: TL-90.12557.68
 CCT:3000K
 CRI:90



h(m)	E(lx)	D(m)
1.0	1099	1.42
2.0	275	2.85
3.0	122	4.27
4.0	69	5.69
5.0	44	7.12


LOCO

LED PENDANT LIGHT



LOCO

LED PENDANT LIGHT



IP20
IP44



Good
Anti-glare

DALI

Model: TL- 90.12558
Wattage: 2*15W
Beam Angle: 46° /68°
CCT: 3000K/4000K/5000K
InputVoltage: 220-240V
CRI: 90/95/97



Chrome



White




Black

Model: TL-90.12558.46
CCT:3000K
CRI:90



Spot




Luminous flux luminaire
1464lm

h(m)	E(lx)	D(m)
1.0	2815	0.86
2.0	703	1.73
3.0	312	2.59
4.0	175	3.46
5.0	112	4.32

Model: TL-90.12558.68
CCT:3000K
CRI:90



Flood



Luminous flux luminaire
1293lm


h(m)	E(lx)	D(m)
1.0	1099	1.42
2.0	275	2.85
3.0	122	4.27
4.0	69	5.69
5.0	44	7.12

LOCO

SURFACE MOUNTED LIGHT



SURFACE MOUNTED LIGHT



360°
Horizontal
angle

IP20
IP44



COB LED



Good
Anti-glare

45°
Vertical
angle



Bluetooth
MESH

DALI

Model: TL- 90.12556
Wattage: 20W
Beam Angle: 46° /68°
CCT: 3000K/4000K/5000K
InputVoltage: 220-240V
CRI: 90/95/97



Chrome



White




Black

Model: TL-90.12556.46
CCT:3000K
CRI:90



46°
Spot




h(m)	E(lx)	D(m)
1.0	2815	0.86
2.0	703	1.73
3.0	312	2.59
4.0	175	3.46
5.0	112	4.32



Model: TL-90.12556.68
CCT:3000K
CRI:90



68°
Flood



h(m)	E(lx)	D(m)
1.0	1099	1.42
2.0	275	2.85
3.0	122	4.27
4.0	69	5.69
5.0	44	7.12





LIGHT IS AN EXPRESSION OF LIFE